

Airworthiness Directive AD No.: 2019-0171 **Issued**: 17 July 2019

Note: This Airworthiness Directive (AD) is issued by EASA, acting in accordance with Regulation (EU) 2018/1139 on behalf of the European Union, its Member States and of the European third countries that participate in the activities of EASA under Article 129 of that Regulation.

This AD is issued in accordance with Regulation (EU) 748/2012, Part 21.A.3B. In accordance with Regulation (EU) 1321/2014 Annex I, Part M.A.301, the continuing airworthiness of an aircraft shall be ensured by accomplishing any applicable ADs. Consequently, no person may operate an aircraft to which an AD applies, except in accordance with the requirements of that AD, unless otherwise specified by the Agency [Regulation (EU) 1321/2014 Annex I, Part M.A.303] or agreed with the Authority of the State of Registry [Regulation (EU) 2018/1139, Article 71 exemption].

Design Approval Holder's Name: AIRBUS

Type/Model designation(s): Airbus A321 aeroplanes

Effective Date: 31 July 2019 TCDS Number(s): EASA.A.064 Foreign AD: Not applicable Supersedure: None

ATA – Aircraft Flight Manual Section Limitations – Amendment

Manufacturer(s):

Airbus

Applicability:

Airbus A321-251N, A321-252N, A321-253N, A321-271N, A321-272N, A321-251NX, A321-252NX, A321-253NX, A321-271NX and A321-272NX aeroplanes, all manufacturer serial numbers.

Definitions:

For the purpose of this AD, the following definitions apply:

Affected ELAC: Elevator Aileron Computer (ELAC) unit having Part Number (P/N) 3945129100 with L102 software P/N 3945129114 (data-loadable); or ELAC unit having P/N 3945128220 (non-data-loadable).

The applicable AFM TR: Airbus Aircraft Flight Manual (AFM) Temporary Revision (TR) 766, TR 767, TR 768, TR 769, TR 770, TR 771 issue 2 and TR 772 issue 2, as applicable.

Groups:

Group 1 aeroplanes are those that have affected ELAC installed. Group 2 aeroplanes are those that do not have affected ELAC installed.



Reason:

Analysis of the behaviour of the ELAC L102 installed on A321neo revealed that excessive pitch attitude can occur in certain conditions and during specific manoeuvres.

This condition, if not corrected, could result in reduced control of the aeroplane.

To address this potential unsafe condition, Airbus issued the applicable AFM TR to provide operational limitations.

For the reason described above, this AD requires amendment of the respective AFM, with AFM TR, as applicable.

This AD is considered to be an interim action and further AD action may follow.

Required Action(s) and Compliance Time(s):

Required as indicated, unless accomplished previously:

AFM Change:

- (1) For Group 1 aeroplanes: Within 30 days after the effective date of this AD, amend the applicable AFM to incorporate the applicable AFM TR, inform the flight crews, and, thereafter, operate the aeroplane accordingly.
- (2) For Group 2 aeroplanes: From the effective date of this AD, before next flight after modification of an aeroplane to install affected ELAC, amend the applicable AFM to incorporate the applicable AFM TR, inform the flight crews, and, thereafter, operate the aeroplane accordingly.
- (3) For Group 1 and Group 2 aeroplanes: Amending the applicable AFM of an aeroplane to incorporate later AFM revisions, which include the same content as the applicable AFM TR, is acceptable to comply with the requirements of paragraph (1) or (2) of this AD, as applicable, for that aeroplane.

Ref. Publications:

Airbus A321 AFM TR 766 issue 1, EASA approval date 21 June 2019.

Airbus A321 AFM TR 767 issue 1, EASA approval date 21 June 2019.

Airbus A321 AFM TR 768 issue 1, EASA approval date 21 June 2019.

Airbus A321 AFM TR 769 issue 1, EASA approval date 21 June 2019.

Airbus A321 AFM TR 770 issue 1, EASA approval date 21 June 2019.

Airbus A321 AFM TR 771 issue 2, EASA approval date 10 July 2019.

Airbus A321 AFM TR 772 issue 2, EASA approval date 10 July 2019.



The use of later approved revisions of the above-mentioned documents is acceptable for compliance with the requirements of this AD.

Remarks:

- 1. If requested and appropriately substantiated, EASA can approve Alternative Methods of Compliance for this AD.
- 2. Based on the required actions and the compliance time, EASA have decided to issue a Final AD with Request for Comments, postponing the public consultation process until after publication.
- 3. Enquiries regarding this AD should be referred to the EASA Programming and Continued Airworthiness Information Section, Certification Directorate. E-mail: <u>ADs@easa.europa.eu</u>.
- 4. Information about any failures, malfunctions, defects or other occurrences, which may be similar to the unsafe condition addressed by this AD, and which may occur, or have occurred on a product, part or appliance not affected by this AD, can be reported to the <u>EU aviation safety</u> reporting system.
- For any question concerning the technical content of the requirements in this AD, please contact: AIRBUS Airworthiness Office EIAS; Fax +33 5 61 93 44 51;
 E-mail: <u>account.airworth-eas@airbus.com</u>.

